

L Number	Hits	Search Text	DB	Time stamp
1	1517	((under adj voltage) or undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/29 10:42
2	604498	isolat\$4 or disconnect\$4	USPAT	2003/05/29 10:43
3	1798957	set\$4 or resett\$3	USPAT	2003/05/29 10:45
4	53601	(telephone or phone) same (line or loop)	USPAT	2003/05/29 10:46
5	33	(((under adj voltage) or undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)) and (isolat\$4 or disconnect\$4 ) and (set\$4 or resett\$3) and ((telephone or phone) same (line or loop))	USPAT	2003/05/29 10:47
6	30	(((under adj voltage) or undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)) and (isolat\$4 or disconnect\$4 ) and (set\$4 or resett\$3) and ((telephone or phone) same (line or loop))) and @ay<=1999	USPAT	2003/05/29 10:47

L Number	Hits	Search Text	DB	Time stamp
-	17453	(memory or database) same (noise or (cross-channel or (cross adj channel)))	USPAT	2003/05/27 08:56
-	190503	(transmit\$4 or transmis\$4) same power	USPAT	2003/05/27 08:56
-	543	((memory or database) same (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) same power)	USPAT	2003/05/27 08:55
-	7151	(memory or database) with (noise or (cross-channel or (cross adj channel)))	USPAT	2003/05/27 09:15
-	133755	(transmit\$4 or transmis\$4) with power	USPAT	2003/05/27 09:15
-	75	((memory or database) with (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) with power)	USPAT	2003/05/27 08:57
-	5671	(memory or database) with (noise or (cross-channel or (cross adj channel)))	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:15
-	126878	(transmit\$4 or transmis\$4) with power	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 10:38
-	25	((memory or database) with (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:16
-	49	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:42
-	799	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	USPAT	2003/05/27 09:43
-	145	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power) and (379/\$.ccls. or 370/\$.ccls. or 375/\$.ccls.)	USPAT	2003/05/27 09:43
-	138	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power) and (379/\$.ccls. or 370/\$.ccls. or 375/\$.ccls.) and @ay<=1999	USPAT	2003/05/27 09:44
-	49	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 10:38
-	4306	(overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/27 11:36
-	209747	reset\$4	USPAT	2003/05/29 08:54
-	2217789	connect\$3 or disconnect\$3 or isolat\$3	USPAT	2003/05/29 10:36
-	1557	((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3)	USPAT	2003/05/27 11:40
-	44820	(telephone or phone) with line	USPAT	2003/05/29 08:54
-	142	((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3) and ((telephone or phone) with line)	USPAT	2003/05/27 11:41
-	138	((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3) and ((telephone or phone) with line) and @ay<=1999	USPAT	2003/05/27 11:42
-	91502	rectif\$8	USPAT	2003/05/27 13:57
-	38517	integrator or integrater	USPAT	2003/05/27 13:58
-	209747	reset\$4	USPAT	2003/05/27 13:58
-	3136	rectif\$8 and (integrator or integrater) and reset\$4	USPAT	2003/05/27 13:58
-	4040	rectif\$8 same reset\$4	USPAT	2003/05/27 13:58
-	5987	(integrator or integrater) same reset\$4	USPAT	2003/05/27 13:58
-	304	rectif\$8 same ((integrator or integrater) same reset\$4)	USPAT	2003/05/27 13:58
-	5	(rectif\$8 same ((integrator or integrater) same reset\$4)) same harmonic	USPAT	2003/05/27 14:07
-	58	(rectif\$8 same ((integrator or integrater) same reset\$4)) and harmonic	USPAT	2003/05/27 14:07
-	913	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/29 10:33
-	209747	reset\$4	USPAT	2003/05/29 10:33
-	2217789	connect\$3 or disconnect\$3 or isolat\$3	USPAT	2003/05/29 09:55
-	44820	(telephone or phone) with line	USPAT	2003/05/29 10:35

-	17	((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3 ) and ((telephone or phone) with line )	USPAT	2003/05/29 09:05
-	451	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	126493	reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	3830847	connect\$3 or disconnect\$3 or isolat\$3	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:56
-	52275	(telephone or phone) with line	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	451	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	126493	reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	0	(connect\$3 or disconnect\$3 or isolat\$3 ) and ((telephone or phone) with line ) and ((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6) ) and reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:58
-	25	(connect\$3 or disconnect\$3 or isolat\$3 ) and ((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6) ) and reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:58
-	11347	safe with level	USPAT	2003/05/29 10:33
-	913	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/29 10:34
-	209747	reset\$4	USPAT	2003/05/29 10:34
-	44820	(telephone or phone) with line	USPAT	2003/05/29 10:36

L Number	Hits	Search Text	DB	Time stamp
1	3830847	connect\$3 or disconnect\$3 or isolat\$3	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:56
2	52275	(telephone or phone) with line	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
3	451	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
4	126493	reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
5	0	(connect\$3 or disconnect\$3 or isolat\$3 ) and ((telephone or phone) with line ) and ((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6) ) and reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:58
6	25	(connect\$3 or disconnect\$3 or isolat\$3 ) and ((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6) ) and reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:58
-	17453	(memory or database) same (noise or (cross-channel or (cross adj channel)))	USPAT	2003/05/27 08:56
-	190503	(transmit\$4 or transmis\$4) same power	USPAT	2003/05/27 08:56
-	543	((memory or database) same (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) same power)	USPAT	2003/05/27 08:55
-	7151	(memory or database) with (noise or (cross-channel or (cross adj channel)))	USPAT	2003/05/27 09:15
-	133755	(transmit\$4 or transmis\$4) with power	USPAT	2003/05/27 09:15
-	75	((memory or database) with (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) with power)	USPAT	2003/05/27 08:57
-	5671	(memory or database) with (noise or (cross-channel or (cross adj channel)))	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:15
-	126878	(transmit\$4 or transmis\$4) with power	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 10:38
-	25	((memory or database) with (noise or (cross-channel or (cross adj channel)))) same ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:16
-	49	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 09:42
-	799	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	USPAT	2003/05/27 09:43
-	145	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power) and (379/\$.ccls. or 370/\$.ccls. or 375/\$.ccls.)	USPAT	2003/05/27 09:43
-	138	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power) and (379/\$.ccls. or 370/\$.ccls. or 375/\$.ccls.) and @ay<=1999	USPAT	2003/05/27 09:44
-	49	((memory or database) with (noise or (cross-channel or (cross adj channel)))) and ((transmit\$4 or transmis\$4) with power)	EPO; JPO; DERWENT; IBM_TDB	2003/05/27 10:38
-	4306	(overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/27 11:36
-	209747	reset\$4	USPAT	2003/05/29 08:54
-	2217789	connect\$3 or disconnect\$3 or isolat\$3	USPAT	2003/05/29 08:54
-	1557	((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3)	USPAT	2003/05/27 11:40
-	44820	(telephone or phone) with line	USPAT	2003/05/29 08:54
-	142	((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3) and ((telephone or phone) with line)	USPAT	2003/05/27 11:41

-	138	(((overvoltage or (over adj voltage) or (over-voltage)) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3)) and ((telephone or phone) with line)) and @ay<=1999	USPAT	2003/05/27 11:42
-	91502	rectif\$8	USPAT	2003/05/27 13:57
-	38517	integrator or integrater	USPAT	2003/05/27 13:58
-	209747	reset\$4	USPAT	2003/05/27 13:58
-	3136	rectif\$8 and (integrator or integrater) and reset\$4	USPAT	2003/05/27 13:58
-	4040	rectif\$8 same reset\$4	USPAT	2003/05/27 13:58
-	5987	(integrator or integrater) same reset\$4	USPAT	2003/05/27 13:58
-	304	rectif\$8 same ((integrator or integrater) same reset\$4)	USPAT	2003/05/27 13:58
-	5	(rectif\$8 same ((integrator or integrater) same reset\$4)) same harmonic	USPAT	2003/05/27 14:07
-	58	(rectif\$8 same ((integrator or integrater) same reset\$4)) and harmonic	USPAT	2003/05/27 14:07
-	913	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	USPAT	2003/05/29 09:55
-	209747	reset\$4	USPAT	2003/05/29 09:55
-	2217789	connect\$3 or disconnect\$3 or isolat\$3	USPAT	2003/05/29 09:55
-	44820	(telephone or phone) with line	USPAT	2003/05/29 09:55
-	17	((undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)) and reset\$4 and (connect\$3 or disconnect\$3 or isolat\$3 ) and ((telephone or phone) with line )	USPAT	2003/05/29 09:05
-	451	(undervoltage or under-voltage) same (detect\$4 or sens\$3 or measur\$6)	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57
-	126493	reset\$4	EPO; JPO; DERWENT; IBM_TDB	2003/05/29 09:57